

Be Original.





Four-in-One Efficiency and Advanced Features Packed in a Compact, Stylish A4 Colour MFP







4-in-1 Function and Desktop Convenience

Put Document Efficiency in Easy Reach

Stylishly compact and designed for high performance, this MFP is sized and equipped to suit any business setting or application. This handy A4 solution—with a footprint of just 429 x 509 mm—delivers full-colour performance and efficient four-in-one functionality right from a desk or countertop.



COPYING AND PRINTING

Efficient Colour and B/W Output

This MFP delivers a fast output of 30/25 cpm/ppm* in full colour and in B/W. And the first copy comes out in just 10 seconds in B/W and 18 seconds in full colour to save valuable time when performing multiple short-run jobs.

A warm-up time of just 29 seconds brings added efficiency.





MX-C300F

ID Card Copy

The MFP has a dedicated key for easy copying of both sides of a card (ID cards, credit cards, etc.) onto a single page.



Superb Image Quality

Sharp's latest 3rd-generation Mycrostoner-HG (High Grade) and a dual-component developer system combine to provide breathtaking image quality. The toner's smaller particle size reduces graininess and enables clear reproduction of fine lines. fine text, and halftone colours.



Direct Printing

This MFP can print PDF, TIFF, and JPEG files without using the printer driver. And there's a USB port beneath the control panel, which comes in handy when printing data directly from USB memory devices—an indispensable function for users who are in a hurry or who want quick machine access without a PC.



Effective Paper Handling

The MFP comes standard with a 250-sheet paper tray and a 50-sheet multi-bypass tray. A 500-sheet paper feed unit is optionally available for a total paper capacity of 800 sheets. The MFP can also accommodate heavy paper up to 220 g/m², expanding the range of possible printing applications.

Built-In Duplex Module

The MX-C300F's standard-equipped 50-sheet RSPF (reversing single pass feeder) and the MX-C250F's 35-sheet SPF (single pass


feeder) ensure efficient document feeding. Both the MX-C300F and the MX-C250F can also make two-sided copies and printouts using a built-in stackless duplex module, effectively reducing paper costs. as well as saving filing space.



MX-C300F

Network Printing

The MFP works as a network printer with the latest and most commonly used operating systems and network protocols, including IPv6, and even in mixed OS environments. It also supports, as standard, the PCL 6 and PostScript® 3™ printer languages.



^{*} A4 (8 1/2" x 11"), short-edge feeding

SCANNING AND FAXING

Full-Colour Network Scanning

This MFP works as a full-colour network scanner and supports TIFF, PDF, and JPEG file formats. Converting any type of paper-based document into an editable digital file is as easy as making a copy.

Multiple Distribution of Scanned Files

You can choose different ways to distribute your scanned documents: for example, send as an e-mail attachment or scan directly to an FTP server for storage.



Requires Network Scanner Tool L

Business Card Scanning MX-C300F

The MX-C300F can easily scan business cards* with its RSPF and can be used with commercially available business card scan software to create business card databases.

* One-sided scanning



LDAP Support

Built-in LDAP (lightweight directory access protocol) support eliminates the need to enter or register full addresses. Entering just the first few letters of a recipient's name prompts the MFP to display a list of possible matches from your company's LDAP server. Selected addresses can be stored to the MFP's address book.

Network Scanner Tool Lite

This software makes it easy to scan documents with the MFP and save them in designated folders on your PC, without the need for complicated settings.

Scanner Program Keys

Scanner Program Keys on the control panel enable users to register frequently used scan settings and destinations for easy, one-touch recall.

Versatile Fax Functions

- Super G3 Fax function
- PC-Fax lets you send documents created on a PC directly to a recipient's fax machine via a phone line without printing to paper
- **Mixed size original scanning** automatically distinguishes documents of mixed sizes fed through the RSPF/SPF
- Fax destination confirmation allows users to reconfirm fax numbers before sending to prevent transmission errors
- Inbound routing lets you check incoming faxes via a network folder (SMB) before printing them out
- Speed dial keys register up to 300 numbers

OTHER OUTSTANDING FEATURES

Reliable Security

- IPsec data encryption technology ensures secure network communications.
- User authentication covering up to 30 users prevents unauthorised MFP use by requiring access passwords.
- Retained data can be erased when it's time to replace the MFP, preventing the leakage of confidential information.

Sharpdesk Mobile*

Sharpdesk Mobile is a mobile print/scan application that makes conducting business on the go easier than ever. Documents scanned on a Sharp MFP can be sent to a mobile device to preview and save. Documents saved on a mobile device can be printed out on the MFP, sent as e-mail attachments, or used in other applications.

 * Availability varies by country/region. For details, see the Sharpdesk Mobile support website:

https://global.sharp/products/copier/docu_solutions/mobile/sharpdesk_mobile/

Easy-To-Use Control Panel



Network Utility Software

Sharp Remote Device Manager* (SRDM) gives administrators centralised control of their networked MFPs through a standard Web browser, making device cloning and other operations easier and more accessible.

 * Contact a Sharp customer representative for availability and other details.

SPECIFICATIONS

General

Paper weight

Memory

Engine speed A4 (8 1/2" x 11")*1: Max. 30/25 ppm

Control panel display 5-line LCD Paper size

Max. A4 (8 $^{1}/_{2}$ " x 14"), min. A6 (5 $^{1}/_{2}$ " x 8 $^{1}/_{2}$ ") Paper capacity Standard: 300 sheets

(80 g/m²) (250-sheet tray and 50-sheet multi-bypass tray)

Maximum: 800 sheets

(300 sheets & optional 500-sheet tray)

Tray: 60 g/m² to 105 g/m² (16 lbs bond to 28 lbs bond) Multi-bypass tray: 55 g/m^2 to 220 g/m^2

(13 lbs bond to 80 lbs cover)

B/W: 10 sec.

Warm-up time*2 29 sec.

Copy/print (shared): 512MB

Rated local AC voltage ±10%, 50/60 Hz Power requirements

Max. 1.15 kW (220V to 240V), max. 1.1 kW (100V to 127V) Power consumption MX-C300F: 429 x 509 x 421 mm (16 57/64" x 20 3/64" x 16 37/64") Dimensions (W x D x H) MX-C250F: 429 x 509 x 398 mm (16 $^{57}/_{64}$ " x 20 $^{3}/_{64}$ " x 15 $^{43}/_{64}$ ")

MX-C300F: 29 kg (63.9 lbs) Weight (approx.) MX-C250F: 28 kg (61.8 lbs)

Copier

Max. A4 (8 1/2" x 14") Original paper size

First copy time*3 Full colour: 18 sec. Continuous copy Max. 999 copies

Scan*4: 600 x 600 dpi, 600 x 400 dpi, 600 x 300 dpi Resolution


Print: 600 x 600 dpi Gradation Equivalent to 256 levels

Zoom range 25% to 400% (25% to 200% using RSPF/SPF)

in 1% increments

Metric: 8 ratios (4R/4E), inch: 5 ratios (3R/2E) **Preset copy ratios**

SYSTEM CONFIGURATION



COMPACT TONER CARTRIDGES



Printer

Resolution 600 x 600 dpi

Interface USB 2.0, 10Base-T/100Base-TX Supported OS Windows Server® 2003, Windows Server® 2003 R2,

Windows Server® 2008, Windows Server® 2008 R2, Windows Server® 2012, Windows Server® 2012 R2, Windows Server® 2016, Windows Server® 2019,

Windows® XP, Windows Vista®, Windows® 7, Windows® 8.1, Windows® 10, Mac OS 10.4, 10.5, 10.6, 10.7, 10.8, 10.9, 10.10,

10.11, 10.12, 10.13, 10.14, 10.15

TCP/IP (IPv4, IPv6) Network protocols Printing protocols*5

LPR, Raw TCP (port 9100), IPP, FTP for downloading print files

PDL PCL 6 emulation, PostScript® 3™ emulation

Available fonts 80 fonts for PCL, 136 fonts for PostScript 3 emulation

Scanner

Push scan (via control panel) Scan method

Pull scan (TWAIN-compliant application) Scan speed*6

[Colour] Max. 9 originals/min. [B/W] Max. 18 originals/min.

Push scan: 100, 150, 200, 300, 400, 600 dpi Resolution

Pull scan: 75, 100, 150, 200, 300, 400, 600 dpi 50 dpi to 9,600 dpi via user setting*7

File formats TIFF, PDF, JPEG*

Scan destinations Scan to e-mail/desktop*9/FTP server/network folder (SMB)/

Facsimile

Compression method MH/MR/MMR/JBIG Communication protocol Super G3/G3 Transmission time

Less than 3 seconds*10 Modem speed 33,600 bps to 2,400 bps with automatic fallback

Transmission resolution From Standard (203.2 x 97.8 dpi) to Super Fine (203.2 x 391 dpi)

Recording size A4 to A5 (8 $^{1}/_{2}$ " x 11" to 5 $^{1}/_{2}$ " x 8 $^{1}/_{2}$ ")

Memory 8MR

Greyscale levels Equivalent to 256 levels

*1: Short-edge feeding. *2: At rated voltage, 23°C (73.4°F). May vary depending on operating conditions and environment. *3: Short-edge feeding of A4 ($8^{\frac{1}{2}}$ / $x^{\frac{1}{2}}$) sheets from paper tray, using document glass, MFP in fully ready condition. May vary depending on operating conditions and environment. *4: Default resolution when using document glass is 600 x 400 dpi and is 600 x 300 dpi when using RSPF/SPF. *5: IPv6 is supported only by LPR printing protocol. *6: Based on Sharp's A4 standard chart, using document feeder, short-edge feeding, and one-sided scanning. Using factory default settings with Auto Colour Selection off. Scan speed will vary depending on the type of document and the scan settings. *7: Resolution will vary depending on the size of the scanned area. Resolutions higher than 600 dpi are interpolated. *8: Colour/greyscale only. *9: Requires Network Scanner Tool Lite. *10: Based on Sharp's standard chart with approx. 700 characters (A4 or 8 1 /₂" x 11" long-edge feeding) at standard resolution in Super G3 mode, 33,600 bps, JBIG compression.

 Design and specifications are subject to change without prior notice.
PCL is a registered trademark of Hewlett-Packard Company. PostScript 3 is either a registered trademark or trademark of Adobe in the US and/or other countries. Windows, Windows Server, Windows Vista, Excel, and PowerPoint are registered trademarks of Microsoft Corporation in the US and/or other countries. Macintosh and Mac are trademarks of Apple Inc., registered in the US and other countries. All other brand names and product names may be trademarks or registered trademarks of their respective owners.

